




ATOM FASTENERS LTD

PHONE (09) 272 8664 FAX (09) 272 8694

SCREWS

METAL THREAD

PAGE




CHEESE SLOT

DIN 84 STEEL 4.8 ZINC PLATED	M2 to M12	Screws 6
DIN 84 STEEL 8.8 ZINC PLATED	M2 to M6	Screws 6
DIN 84 ALUMINIUM	M3 to M6	Screws 6
DIN 84 BRASS	M2 to M10	Screws 6
DIN 84 PLASTIC (NYLON)	M3 to M10	Screws 6
DIN 84 STAINLESS STEEL A2	To Order	
DIN 84 STAINLESS STEEL A4	To Order	



COUNTERSUNK SLOT

DIN 963 STEEL 4.8 ZINC PLATED	M2 to M20	Screws 7
DIN 963 STEEL 8.8 ZINC PLATED	M2 to M6	Screws 7
DIN 963 ALUMINIUM	M3 to M8	Screws 7
DIN 963 BRASS	M2 to M12	Screws 7
DIN 963 PLASTIC (NYLON)	M3 to M8	Screws 7
DIN 963 STEEL STAINLESS STEEL A2	To Order	Screws 7
DIN 963 STEEL STAINLESS STEEL A4	To Order	Screws 7
IMPERIAL BSW	To Order	Screws 7



RAISED COUNTERSUNK SLOT

DIN 964 STEEL 4.8 ZINC PLATED	To Order	
DIN 964 STAINLESS STEEL A2	To Order	
DIN 964 ALUMINIUM	To Order	




ROUND SLOT

DIN 450 STEEL 4.8 ZINC PLATED	To Order	Screws 9
DIN 450 STAINLESS STEEL A2	To Order	Screws 9
DIN 450 STAINLESS STEEL A4	To Order	Screws 9
IMPERIAL BSW	To Order	Screws 9

MUSH SLOT

STEEL ZINC PLATED	M5 to M6	
IMPERIAL ZINC PLATED	3/16" to 1/4"	




PAN HEAD POZIDRIVE (RAISED CHEESE)

DIN 7985 STEEL 4.8 ZINC PLATED	M3 to M8	Screws 11
DIN 7985 STAINLESS STEEL A2	M2 to M6	Screws 11



PAN HEAD PHILLIPS (RAISED CHEESE)

DIN 7985 STEEL 4.8 ZINC PLATED	M2 to M10	Screws 10
DIN 7985 STAINLESS STEEL A2	M2 to M8	Screws 10
DIN 7985 STAINLESS STEEL A4	M2 to M8	Screws 10



COUNTERSUNK HEAD POZIDRIVE

DIN 965 STEEL 4.8 ZINC PLATED	M3 to M8	Screws 8
DIN 965 STAINLESS STEEL A2	M1.6 to M8	Screws 8
DIN 965 STAINLESS STEEL A4	M1.6 to M8	Screws 8

CONTINUED

SELF TAPPING SCREWS


PAGE



PAN HEAD POZIDRIV

IMPERIAL ZINC PLATED
IMPERIAL STAINLESS STEEL G304
IMPERIAL STAINLESS STEEL G316

Screws 1
Screws 1
Screws 1



COUNTERSUNK HEAD POZIDRIV

IMPERIAL ZINC PLATED
IMPERIAL STAINLESS STEEL G304
IMPERIAL STAINLESS STEEL G316

Screws 1
Screws 1
Screws 1



PAN HEAD SQUARE DRIVE

IMPERIAL ZINC PLATED
IMPERIAL STAINLESS STEEL G304
IMPERIAL STAINLESS STEEL G316

Screws 1
Screws 1
Screws 1



COUNTERSUNK HEAD SQUARE DRIVE

IMPERIAL ZINC PLATED
IMPERIAL STAINLESS STEEL G304
IMPERIAL STAINLESS STEEL G316

Screws 1
Screws 1
Screws 1

DRIVE SCREWS (HAMMER)




ROUND HEAD

STEEL
BRASS
STAINLESS STEEL A2

Screws 12
Screws 12
Screws 12

CHIPBOARD SCREWS



COUNTERSUNK POZIDRIVE

STEEL YELLOW PASSIVATED 6g to 10g
STAINLESS STEEL A2 (G304) 6g to 10g
STAINLESS STEEL A4 (G316) 6g to 10g

Screws 4
Screws 4
Screws 4

COUNTERSUNK SQUARE

STEEL YELLOW PASSIVATED 6g to 10g
STAINLESS STEEL A2 (G304) 6g to 10g

Screws 4
Screws 4

PAN HEAD POZIDRIVE (RAISED CHEESE)

STEEL YELLOW PASSIVATED 6g to 10g
STAINLESS STEEL A2 (G304) 6g to 10g

Screws 4
Screws 4

WOOD SCREWS



COUNTERSUNK SLOT

DIN 97 STEEL ZINC PLATED To Order
DIN 97 BRASS To Order

Screws 2
Screws 2

ROUND SLOT

DIN 96 STEEL ZINC PLATED To Order
DIN 96 BRASS To Order

Screws 3
Screws 3

PARTICLE BOARD SCREWS

COUNTERSUNK POZIDRIVE

STEEL ZINC PLATED To Order

DRYWALL SCREWS



COUNTERSUNK PHILLIPS

STEEL COARSE & Fine ZINC PLATED To Order

Screws 2

TWIN THREAD SCREWS




COUNTERSUNK POZI

STEEL

ZINC PLATED

Screws 2

SELF TAPPING SCREWS



MUSHROOM HEAD POZI DRIVE

STEEL
STEEL

ZINC PLATED
BLACK

Screws 3
Screws 3

SELF DRILLING SCREWS (METAL)



HEX WASHER FACE

STEEL

Class 3 & 4

Screws 5

SELF DRILLING SCREWS (TIMBER)



HEX WASHER FACE

STEEL

Class 3 & 4

Screws 5

TAP TITE SCREWS



THREAD ROLLING


DIN 7500 STEEL

Zinc Plated

Screws 12

SECURITY FASTENERS

BUTTON HEXALOBULAR POST




STAINLESS STEEL A2 CI. 70

Check with sales

Screws 13

PAN SNAKE EYE



STAINLESS STEEL A2 CI. 70

Check with sales

Screws 13

CSK SNAKE EYE



STAINLESS STEEL A2 CI. 70

Check with sales

Screws 14

SELF TAPPING SNAKE EYE




PAN HEAD STAINLESS STEEL A2 CI. 70
CSK HEAD STAINLESS STEEL A2 CI. 70

Check with sales
Check with sales

Screws 14
Screws 14






ATOM FASTENERS LTD

PHONE (09) 272 8664 FAX (09) 272 8694


SELF TAPPING SCREWS PAN and CSK HEAD POZI DRIVE STEEL ZINC PLATED



LEN/DIA	4G		6G		8G		10G		12G		14G	
	CSK	PAN	CSK	PAN	CSK	PAN	CSK	PAN	CSK	PAN	CSK	PAN
1/4"		✓		✓								
3/8"	✓	✓	✓	✓	✓	✓		✓				
1/2"	✓	✓	✓	✓	✓	✓	✓	✓		✓		✓
5/8"	✓	✓	✓	✓	✓	✓	✓	✓		✓		✓
3/4"	✓	✓	✓	✓	✓	✓	✓	✓		✓		✓
1"		✓	✓	✓	✓	✓	✓	✓	✓	✓		✓
1.1/4"			✓	✓	✓	✓	✓	✓	✓	✓		✓
1.1/2"			✓	✓	✓	✓	✓	✓	✓	✓		✓
2"			✓	✓	✓	✓	✓	✓	✓	✓		✓
2.1/2"						✓	✓	✓	✓	✓		✓
3"							✓	✓	✓	✓		✓

✓ EX STOCK


SELF TAPPING SCREWS PAN and CSK HEAD POZI DRIVE STAINLESS STEEL (304)



LEN/DIA	4G		6G		8G		10G		12G		14G	
	CSK	PAN	CSK	PAN	CSK	PAN	CSK	PAN	CSK	PAN	CSK	PAN
1/4"	✓	✓										
3/8"	✓	✓	✓	✓	✓	✓						
1/2"	✓	✓	✓	✓	✓	✓	✓	✓				
5/8"	✓	✓	✓	✓	✓	✓	✓	✓				
3/4"	✓	✓	✓	✓	✓	✓	✓	✓				
1"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓
1.1/4"	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓
1.1/2"			✓	✓	✓	✓	✓	✓	✓	✓		✓
2"					✓	✓	✓	✓	✓	✓		✓
2.1/2"					✓	✓	✓	✓	✓	✓		✓
3"					✓	✓	✓	✓	✓	✓		✓

✓ EX STOCK 2g to Order


SELF TAPPING SCREWS PAN and CSK HEAD SQUARE DRIVE STAINLESS STEEL (304)



LEN/DIA	4G		6G		8G		10G		12G		14G	
	CSK	PAN	CSK	PAN	CSK	PAN	CSK	PAN	CSK	PAN	CSK	PAN
1/4"												
3/8"												
1/2"			✓	✓	✓	✓	✓	✓				
5/8"			✓	✓	✓	✓	✓	✓				
3/4"			✓	✓	✓	✓	✓	✓				
1"			✓	✓	✓	✓	✓	✓	✓	✓		✓
1.1/4"			✓	✓	✓	✓	✓	✓	✓	✓		✓
1.1/2"			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
2"			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
2.1/2"					✓	✓	✓	✓	✓	✓	✓	✓
3"					✓	✓	✓	✓	✓	✓	✓	✓

2g to Order 6G = No 1 Square Drive


8G & 10g = No 2 Square Drive



ATOM FASTENERS LTD

PHONE (09) 272 8664 FAX (09) 272 8694

TWIN THREAD SCREWS CSK HEAD POZI DRIVE



LEN/DIA	4G	5G	6G	7G	8G	9G	10G	12G	14G
Drive	#1	#2	#2	#2	#2	#2	#2	#3	#3
Hd. Dia.	0.216	0.244	0.272	0.300	0.328	0.350	0.117	0.440	0.496
Hd. Hgt.	0.064	0.073	0.082	0.091	0.100	0.109	0.117	0.135	0.153
Thd.	Full	Full	Full	Full	Full	Full	Full	Full	Full
3/8"	✓	✓							
1/2"	✓	✓	✓	✓	✓				
5/8"	✓	✓	✓	✓	✓				
3/4"	✓	✓	✓	✓	✓	✓	✓		
1"		✓	✓	✓	✓	✓	✓		
1.1/4"			✓	✓	✓	✓	✓		
1.1/2"			✓	✓	✓	✓	✓		
1.3/4"					✓	✓	✓		
2"					✓	✓	✓		

✓ EX STOCK

DRY WALL SCREWS CSK HEAD POZI DRIVE



LEN/DIA	6G	6G							
Thread	COARSE	FINE							
Drive	#2	#2							
25	✓	✓							
30	✓	✓							
40	✓	✓							
45	✓	✓							


✓ EX STOCK

WOOD SCREWS CSK HEAD SLOT DRIVE DIN 97



LEN/DIA	6G	8G	10G	12G					
1/2"	R								
5/8"	R								
3/4"	R	R							
1"	R	R	R	R					
1.1/4"	RZ	R	R	R					
1.1/2"	RZ	R	R	R					
1.3/4"			R						
2"		R	R	RZ					
2.1/2"			R	R					
3"			R	R					

EX STOCK: Z = CLEAR ZINC PLATED R = BRASS



ATOM FASTENERS LTD

PHONE (09) 272 8664 FAX (09) 272 8694

WOOD SCREWS


CSK, RND & RSD HEAD SLOT DRIVE

Image Not Available

	COUNTERSUNK			ROUND			RAISED		
LEN/DIA	2.0	2.50	3.0	2.0	2.5		3.5	4.0	4.5
8				R					
10	R	R	R	R	R				
12	R	R	R	R	R				
16	R	R	R	R	R				
20	R	R		R	R				
25							R		
30								R	
40									R


EX STOCK: R = BRASS

SELF TAPPING SCREWS MUSHROOM HEAD POZI DRIVE BS 4174




LEN/DIA	4G	6G	8G	10G	12G	14G			
Drive	#1	#2	#2	#2	#3	#3			
Hd. Dia.	0.257	0.321	0.384	0.448	0.511	0.573			
Hd. Hgt.	0.063	0.074	0.093	0.114	0.124	0.145			
Thd.	Full	Full	Full	Full	Full	Full			
1/2"	B Z	B Z	B	B					
5/8"	B Z	B Z	B	B					
3/4"	B Z	B Z	B	B Z					
1"	B Z	B Z	B	B					

EX STOCK: B = BLACK Z = CLEAR ZINC PLATED




ATOM FASTENERS LTD


PHONE (09) 272 8664 FAX (09) 272 8694

SCREWS – CHIPBOARD PAN and CSK HEAD POZI and SQUARE STEEL YELLOW ZINC PLATED										(indication only) 		
LEN/DIA	6G				8G				10G			5.5mm
	CSK POZI	CSK SQ	PAN POZI	PAN SQ	CSK POZI	CSK SQ	PAN POZI	PAN SQ	CSK POZI	CSK SQ	PAN POZI	CSK SQ
1/2"	✓	✓					✓					
5/8"	✓	✓					✓					
3/4"	✓	✓			✓	✓	✓					
1"	✓	✓			✓	✓	✓	✓				
1.1/8					✓	✓						
1.1/4"		✓			✓	✓	✓	✓				
1.1/2"		✓			✓	✓	✓	✓				
1.3/4"					✓	✓	✓					
2"					✓	✓	✓					
2.1/2"					✓	✓				✓		
3"					✓	✓			✓	✓		
4"										✓		
120mm												✓
150mm												✓
175mm												✓

✓ EX STOCK 6g = No 1 Drive 8g & 10g = No 2 Drive AVAILABLE IN Jars 200 or 100 P/Bags 1000/500

SCREWS - CHIPBOARD PAN and CSK HEAD POZI and SQUARE STAINLESS STEEL A2(304)										(indication only) 						
LEN/DIA	3.0mm		3.5mm		4.0mm(7G)				4.5mm(8G)			5.0mm(10G)			6.0mm	
	CSK POZI	PAN POZI	CSK POZI	PAN POZI	CSK POZI	CSK SQ	PAN POZI	PAN SQ	CSK POZI	CSK SQ	PAN SQ	CSK POZI	CSK SQ	PAN POZI	CSK POZI	CSK SQ
12mm				TA												
16mm/5/8"	TA	TA	TA	TA	TA		TA									
20mm/3/4"	TA	✓	TA	✓	TA	✓	✓		TA	✓✓						
25mm/1"	TA	✓	TA	✓	TA	✓	✓		TA	✓✓		TA		TA		
30mm/1.1/4"	TA	TA	TA	TA	TA	✓	TA		TA	✓✓		TA		TA		
35mm	TA		TA		TA	✓	TA		TA	✓✓		TA				
1.1/2"										✓			✓			
40mm			TA		TA		TA		TA	✓		TA	✓	✓	TA	
45mm					TA		TA		TA	✓✓		TA				
50mm/2"					TA		TA		TA	✓✓		TA	✓✓	TA	TA	✓
60mm					TA				TA	✓		TA	✓			
2.1/2"										✓						
70mm					TA					✓		TA	✓		TA	
3"										✓			✓			
90mm										✓		TA	✓		✓	
100mm												TA	✓		✓	
120mm																✓

3mm = No 1 Drive 7g, 8g, 10g and 3.5mm to 5.0mm = No 2 Drive 6.0mm = No 3 Drive Jars 200 or 100 P/Bags 1000/500



ATOM FASTENERS LTD

PHONE (09) 272 8664 FAX (09) 272 8694

SCREWS – SELF DRILLING METAL HEXAGON WASHER HEAD SELF DRILLING POINT SDM FINISH CLASS 4



LEN/DIA	8G (4.2mm)				10G (4.8mm)				12G (5.5mm)				14G (6.3mm)			
HEX DRIVE BIT	1/4" Hex				5/16" Hex				5/16" Hex				3/8" Hex			
POINT	SDM	SDM	SDM	SDM	SDM	SDM	SDM	SDM	SDM	SDM	SDM	SDM	SDM	SDM	SDM	SDM
NEO. SEAL	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes
Pitch	CRSE	CRSE	FINE	FINE	CRSE	CRSE	FINE	FINE	CRSE	CRSE	FINE	FINE	CRSE	CRSE	FINE	FINE
TPI	18	18			16	16	24	24	14	14	24	24	10	10	20	20
Max Drill Thickness	3.0	3.0			4.5	4.5	4.5	4.5	5.5	5.5	6.5	6.5	5.0	5.0	6.5	6.5
12	✓	✓														
16					✓	✓	✓	✓								
20									✓	✓	✓	✓	✓	✓		
22													✓	✓		
25					✓	✓	✓						✓			
30									✓	✓	✓	✓				
35									✓	✓	✓	✓				
42													✓	✓		
45									✓	✓	✓	✓				
50													✓	✓		
55									✓	✓	✓	✓				
65									✓	✓	✓	✓	✓	✓		
75									✓	✓	✓	✓	✓	✓		
90													✓	✓		
95													✓	✓		
115													✓	✓		
135													✓	✓		
150													✓	✓		


✓ EX STOCK PAINTED; A FULL RANGE AVAILABLE CYCLONE WASHER AVAILABLE Class 3 and 4 to AS 3566

SCREWS – SELF DRILLING TIMBER HEXAGON WASHER HEAD SELF DRILLING POINT T17 FINISH CLASS 4



LEN/DIA	4G		6G		8G		10G		12G		14G	
HEX DRIVE BIT					1/4" Hex		5/16" Hex		5/16" Hex		3/8" Hex	
POINT	T17	T17	T17	T17	T17	T17	T17	T17	T17	T17	T17	T17
NEO. SEAL	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes
Pitch	CRSE	CRSE	CRSE	CRSE	CRSE	CRSE	CRSE	CRSE	CRSE	CRSE	CRSE	CRSE
TPI					15	15	12	12	11	11	10	10
Min Embedment	10	10	16	16	18	18	25	25	30	30	35	35
20					✓	✓						
25							✓	✓	✓	✓	✓	✓
30									✓	✓		
35									✓	✓		
40									✓	✓		
45									✓	✓		
50									✓	✓	✓	✓
65									✓	✓	✓	✓
75									✓	✓	✓	✓
90, 100, 115, 125 and 150											✓	✓

✓ EX STOCK PAINTED; A FULL RANGE AVAILABLE CYCLONE WASHER AVAILABLE Class 3 and 4 to AS 3566




ATOM FASTENERS LTD

PHONE (09) 272 8664 FAX (09) 272 8694

CHEESE SLOT METAL THREAD

DIN 84



LEN/DIA	M2	M2.5	M3	M3.5	M4	M5	M6	M8	M10	M12
Pitch	0.4	0.45	0.5	0.6	0.7	0.8	1	1.25	1.5	1.75
Hd. Hgt.	1.3	1.6	5.5	6	7	8.5	10	13	16	18
Thd.	Full	Full	Full	Full	Full	Full	Full	Full	Full	Full
4	Z R	Z	Z R							
5	Z 4 R	Z R	Z R		Z R					
6	Z R	Z R	Z R	Z	Z R	Z R	Z			
8	Z R	Z R	Z R	Z	Z R	Z R	Z			
10	Z R	Z R	Z 4 R	Z 4	Z 4 A R	Z 4 A R	Z R	Z R		
12	Z R	Z R	Z 4 6 R	Z	Z 4 A R	Z 4 A R	Z 4 A R	Z R		
16	Z R	Z R	Z R	Z	Z A R	Z 4 A R	Z 4 A R	Z R	Z	
20	Z R	Z R	Z R	Z	Z 4 6 A R	Z 4 A R	Z 4 A R	Z R	Z R	Z
25	Z	Z R	Z 4 R	Z	Z R	Z 4 R	Z 4 A R	Z R	Z R	Z
30	Z	Z	Z R	Z	Z R	Z 4 R	Z R	Z R	Z R	Z
35			Z R	Z	Z R	Z 4 R	Z R	Z	Z	Z
40			Z R	Z	Z 4 R	Z 4 R	Z R	Z R	Z R	Z
45			Z		Z R	Z	Z	Z 4	Z	Z
50			Z R	Z	Z R	Z R	Z 4 R	Z 4 R	Z R	Z
60			Z		Z 4 R	Z R	Z R	Z R	Z	Z
70					Z	Z	Z R	Z	Z	Z
80					Z	Z	Z	Z 4	Z	Z
90							Z	Z		
100						Z	Z	Z	Z	Z

EX STOCK: B = BLACK Z= CLEAR ZINC PLATED 4 = STAINLESS STEEL A2 (304) 6 = STAINLESS STEEL A4 (316) R = BRASS


CHEESE SLOT METAL THREAD

BS 1981



LEN/DIA	0BA	1BA	2BA	3BA	4BA	5BA	6BA	7BA	8BA	9BA
Szie	6.0	5.3	4.7	4.1	3.6	3.2	2.8	2.5	2.2	1.9
Pitch	1.0	1.112	1.234	1.372	1.514	1.697	1.884	2.083	2.33	2.557
Thd.	Full	Full	Full	Full	Full	Full	Full	Full	Full	Full
1/4"			Z					R	R	
3/8"					R Z	B R			B	
1/2"	B R	R	R Z	B R	Z		B R	B R	B	R
5/8"			Z							
3/4"	B		B Z		Z			B R	R	B R
7/8"			Z							
1"	R	R	R Z	R	R Z	R	B R	R	B R	R
1.1/4"										
1.1/2"			Z		Z	R				
1.3/4"										
2"	B R	R	B R	R	R	R				

EX STOCK: B = BLACK Z= CLEAR ZINC PLATED 4 = STAINLESS STEEL A2 (304) 6 = STAINLESS STEEL A4 (316) R = BRASS



ATOM FASTENERS LTD

PHONE (09) 272 8664 FAX (09) 272 8694



CSK SLOT METAL THREAD

DIN 963

LEN/DIA	M2	M2.5	M3	M3.5	M4	M5	M6	M8	M10	M12
Pitch	0.4	0.45	0.5	0.6	0.7	0.8	1	1.25	1.5	1.75
Thd.	Full	Full	Full	Full	Full	Full	Full	Full	Full	Full
4	Z R	Z	Z R							
5	Z 4 R	Z R	Z R		Z R					
6	Z R	Z R	Z R	Z	Z R	Z R	Z			
8	Z R	Z R	A Z R	Z	A Z R	Z R	Z			
10	Z R	Z R	A Z 4 R	Z 4	A Z 4 A R	Z 4 A R	Z R	Z R		
12	Z R	Z R	A Z 4 6 R	Z	A Z 4 A R	Z 4 6 A R	Z 4 A R	Z R		
16	Z R	Z R	A Z R	Z	A Z 4 A R	Z 4 A R	Z 4 6 A R	Z A R	Z	
20	Z R	Z R	A Z R	Z	A Z 4 A R	Z 4 6 A R	Z 4 6 A R	Z A 6 R	Z R	Z
25	Z	Z R	Z 4 R	Z	Z R	Z 4 6 R	Z 4 6 A R	Z A 4 R	Z 6 R	Z
30	Z	Z	Z R	Z	Z 4 R	Z 4 R	Z 6 R	Z A 4 6 R	Z 6 R	Z R
35			Z R	Z	Z R	Z 4 6 R	Z 6 R	Z	Z	Z
40			Z R	Z	Z 4 6 R	Z 4 6 R	Z 4 6 A R	Z A R	Z R	Z R
45			Z		Z R	Z	Z	Z 4	Z	Z R
50			Z R	Z	Z 4 6 R	Z R	Z 4 6 R	Z 4 A R	Z R	Z R
60			Z		Z 4 R	Z R	Z 4 R	Z R	Z R	Z R
70					Z 4 6 R	Z	Z 6 R	Z 4 6	Z	Z R
80					Z	Z	Z	Z 4	Z 6	Z R
100							Z 4	Z		R


EX STOCK: B = BLACK Z= CLEAR ZINC PLATED 4 = STAINLESS STEEL A2 (304) 6 = STAINLESS STEEL A4 (316) R = BRASS
A = ALUMINUM

CSK SLOT METAL THREAD



LEN/DIA	0BA	1BA	2BA	3BA	4BA	5BA	6BA	7BA	8BA	9BA
Size	6.0	5.3	4.7	4.1	3.6	3.2	2.8	2.5	2.2	1.9
Pitch	1.0	1.112	1.234	1.372	1.514	1.697	1.884	2.083	2.33	2.557
Thd.	Full	Full	Full	Full	Full	Full	Full	Full	Full	Full
1/4"			R	R					R	
3/8"				B	Z					
1/2"	B R	B	Z	B R	R Z	R	B R	R	R	
3/4"			B Z	B	Z				R	
1"		B	B R Z	B R	B R Z	R	R		B	B R
1.1/2"	R		Z		Z					

LEN/DIA	3/16"	1/4"								
T.P.I	24	20								
Thread	BSW	BSW								
1/2"	4 6	6								
3/4"	4 6	4 6								
1"	4 6	4 6								
1.1/4"	4 6	6								
1.1/2"	4 6	4 6								
2"	4 6	4 6								
2.1/2"	6	6								
3"	6	4								
4"	6									



ATOM FASTENERS LTD

PHONE (09) 272 8664 FAX (09) 272 8694


CSK PHILLIPS METAL THREAD



DIN 965 CSK CROSS RECESSED

LEN/DIA	M2	M2.5	M3	M4	M5	M6	M8	M10	M12
Pitch									
Thd.	Full	Full	Full	Full	Full	Full	Full	Full	Full
4	4								
5	4	4							
6	4	4	4						
8	4	4	4	4	4				
10	4	4	4	4	4	4			
12	4	4	4	4	4	4			
16	4	4	4	4	4	4			
20		4	4	4	4	4	4		
25			4	4	4	4	4		
30			4	4	4	4	4		
35			4	4	4	4	4		
40			4	4	4	4	4		
45				4	4	4			
50				4	4	4	4		
60				4	4	4	4		
70					4	4	4		
80					4	4	4		
100						4			


CSK POZI METAL THREAD



DIN 965 CROSS RECESSED

LEN/DIA	M3	M4	M5	M6	M8	M10	M12
Pitch							
Thd.	Full	Full	Full	Full	Full	Full	Full
4							
5							
6	Z	Z					
8	Z	Z	Z	Z			
10	Z	Z	Z	Z			
12	Z	Z	Z	Z			
16	Z	Z	Z	Z	Z		
20	Z	Z	Z	Z	Z		
25	Z	Z	Z	Z	Z		
30	Z	Z	Z	Z	Z		
35			Z	Z	Z		
40		Z	Z	Z	Z		
45			Z	Z			
50		Z	Z	Z	Z		
60				Z	Z		
70				Z	Z		
80				Z	Z		
100				Z	Z		

EX STOCK: B = BLACK Z= CLEAR ZINC PLATED 4 = STAINLESS STEEL A2 (304) 6 = STAINLESS STEEL A4 (316) R = BRASS



ATOM FASTENERS LTD

PHONE (09) 272 8664 FAX (09) 272 8694

ROUND SLOT METAL THREAD

BS 450



LEN/DIA	1/8"	5/32"	3/16"	1/4"	5/16"	3/8"			
T.P.I	40	32	24	20	18	16			
Thd.	Full	Full	Full	Full	Full	Full			
1/4"	Z	Z	6 Z						
3/8"	Z								
1/2"	R Z	Z	4 6 R Z	6 R Z					
3/4"	R Z	R Z	6 R Z	6 R Z	R	R			
1"	R Z	R Z	4 6 R Z	6 R Z	R	R			
1.1/4"	Z	R Z	4 6 R Z	6 R Z					
1.1/2"	R Z	R Z	4 6 R Z	6 R Z	R	R			
2"	R	R Z	6 R Z	6 R Z	R	R			
2.1/2"			6	6					
3"			6	R					
4"				R					


PAN SLOT METAL THREAD

BS 4183

Image Not Available

LEN/DIA	M2	M2.5	M3	M3.5	M4	M5	M6	M8	M10	M12
Pitch	0.4	0.45	0.5	0.6	0.7	0.8	1	1.25	1.5	1.75
Thd.	Full	Full	Full	Full	Full	Full	Full	Full	Full	Full
10						R				
12						R				
16						R	4 R	6 Z		
20					R	R	4 R	Z		
25			R			4 R	R	Z	R	
30			R		R	4 R	R			
35						6				
40					4 R		R			
45										
50					R	R	Z	R		
60							6			

EX STOCK: B = BLACK Z = CLEAR ZINC PLATED 4 = STAINLESS STEEL A2 (304) 6 = STAINLESS STEEL A4 (316) R = BRASS



ATOM FASTENERS LTD

PHONE (09) 272 8664 FAX (09) 272 8694

PAN PHILLIPS METAL THREAD

DIN 7985 PAN CROSS RECESSED



LEN/DIA	M1.6	M2	M2.5	M3	M3.5	M4	M5	M6	M8	M10
Pitch		0.4	0.45	0.5	0.6	0.7	0.8	1	1.25	1.5
Thd.	Full	Full	Full	Full	Full	Full	Full	Full	Full	Full
4	Z	Z 4	4							
5		Z 4	4	4						
6	Z	Z 4	4	4		4	4	4		
8	Z	Z 4	4	4		4	4	4		
10	Z	Z 4	4	4		4	4	4		
12		Z 4	4	4		4	4	4	4	
16		Z 4	4	4		4	4	4	4	
20		Z	4	4		4	4	4	4	
25				4		4	4	4	4	Z
30				4		4	4	4	4	Z
35				4		4	4	4	4	
40				4		4	4	4	4	Z
45						4	4	4	4	
50				4		4	4	4	4	Z
60						4	4	4	4	Z


PAN PHILLIPS METAL THREAD

BS 1981



LEN/DIA	#4	#6	#8	#10	#10	#12			
T.P.I	40	32	32	24	32	24			
Thd.	FULL	FULL	FULL	FULL	FULL	FULL			
1/4"	4	Z	Z						
3/8"	4			4	4				
1/2"	Z	Z	4 Z	4	4				
3/4"	Z	Z	Z		4	4			
1"	Z	4 Z	Z		4	4			
1.1/4"									
1.1/2"	Z	Z	Z			4			
2"						4			
2.1/2"									

EX STOCK: B = BLACK Z = CLEAR ZINC PLATED 4 = STAINLESS STEEL A2 (304) 6 = STAINLESS STEEL A4 (316) R = BRASS



PAN POZI METAL THREAD




DIN 7985 PAN CROSS RECESSED

LEN/DIA	M2	M2.5	M3	M3.5	M4	M5	M6	M8	M10	M12
Pitch	0.4	0.45	0.5	0.6	0.7	0.8	1	1.25	1.5	1.75
Thd.	Full	Full	Full	Full	Full	Full	Full	Full	Full	Full
4										
5					Z					
6			Z		Z	Z				
8			Z		Z	Z				
10			Z		Z	Z	Z			
12			Z		Z	Z	Z			
16			Z		Z	Z	Z	Z		
20			Z		Z	Z	Z	Z		
25			Z		Z	Z	Z	Z		
30			Z		Z	Z	Z	Z		
35					Z	Z	Z	Z		
40					Z	Z	Z	Z		
45						Z				
50					Z	Z	Z	Z		
60							Z			

EX STOCK Z= CLEAR ZINC PLATED

ATOM FASTENERS LTD



ATOM FASTENERS LTD

PHONE (09) 272 8664 FAX (09) 272 8694

TAP TITE HEX FLANGE SCREW



DIN 7500 Thread rolling

LEN/DIA	M3	M4	M5	M6	M8					
Pitch	0.5	0.7	0.8	1	1.25					
Hd. Hgt.	2.58	3.58	4.45	5.2	7					
A/Flats	5.5	7	8	10	13					
Flange	6.9	8.9	10.4	13	17					
6										
8		Z	Z							
10	Z	Z	Z	Z						
12		Z	Z	Z						
16		Z	Z	Z	Z					
20		Z	Z	Z	Z					
25				Z	Z					
30				Z	Z					
35					Z					
40					Z					
45					Z					
50					Z					

HAMMER DRIVE SCREWS




U DRIVE

LEN/DIA	2g	4g	6g	8g						
3/16"	4	4								
1/4"		4	4							
5/16"		4	4 R							
3/8"			4							
1/2"			Z 4							
3/4"										
1"										

EX STOCK: Z = CLEAR ZINC PLATE, 4 = STAINLESS STEEL G304, R = BRASS

ATOM FASTENERS LTD



ATOM FASTENERS LTD

PHONE (09) 272 8664 FAX (09) 272 8694

BUTTON HEXALOBULAR POST SECURITY



STAINLESS STEEL A2 CL.70

LEN/DIA	M4	M5	M6	M8						
Pitch	0.7	0.8	1	1.25						
Hd. Hgt.	2.2	2.75	3.3	4.4						
Socket No.	20	25	30	40						
Thd.	Full	Full	Full	Full						
10	✓		✓							
12	✓	✓	✓	✓						
16	✓	✓								
20	✓	✓	✓	✓						
25		✓	✓							
30				✓						
35										
40										
45										
50										

✓ EX STOCK

PAN HEAD SNAKE EYE SECURITY




STAINLESS STEEL A2 CL.70

LEN/DIA	M4	M5	M6	M8		LEN/DIA	#6	#8	#10	#10
Pitch	0.7	0.8	1	1.25		T.P.I	32	32	32	24
Hd. Hgt.	2.2	2.75	3.3	4.4						
Socket No.	20	25	30	40						
Thd.	Full	Full	Full	Full						
10	✓									
12	✓	✓	✓	✓		1/2"		✓		✓
16	✓	✓	✓			3/4"				✓
20	✓	✓	✓	✓		1"		✓	✓	
25	✓	✓	✓							
30		✓	✓	✓						
35										
40			✓							
45										
50										

Security fasteners ranges can further be indented to order

- Self Tapping One Way Screws,
- Self Tapping Tri Wing Screws
- Security Nuts, Snap Nuts
- Security Bits,
- Security Tools,



ATOM FASTENERS LTD

PHONE (09) 272 8664 FAX (09) 272 8694

CSK HEAD SNAKE EYE SECURITY


STAINLESS STEEL A2 CL.70



LEN/DIA	M4	M5	M6		LEN/DIA	#6	#8	#10	#10
Pitch	0.7	0.8	1		T.P.I	32	32	32	24
Hd. Hgt.	2.2	2.75	3.3						
Socket No.	20	25	30						
Thd.	Full	Full	Full						
10	✓								
12	✓	✓	✓		1/2"	✓			
16	✓	✓	✓		3/4"	✓	✓		✓
20	✓	✓	✓		1"		✓	✓	
25	✓	✓	✓						
30		✓	✓						
35									
40			✓						
45									
50									

SELF TAPPING SNAKE EYE SECURITY SCREW

STAINLESS STEEL A2 CL.70



LEN/DIA	PAN HEAD		CSK HEAD			
	8G	10G	8G	10G	12G	14G
1/2"	✓	✓	✓	✓		
3/4"	✓	✓	✓	✓		✓
1"	✓	✓	✓	✓		✓
1.1/4"	✓					
1.1/2"	✓	✓	✓	✓		✓
1.3/4"						
2"			✓			

Security fasteners ranges can further be indented to order

- Self Tapping One Way Screws,
- Self Tapping Tri Wing Screws
- Security Nuts, Snap Nuts
- Security Bits,
- Security Tools,